

Thapar Technology Campus, Bhadson Road  
Patiala-147004, Punjab India  
Phone: +91 175 2393869,70  
Email: [ashwini.aggarwal@thapar.edu](mailto:ashwini.aggarwal@thapar.edu)  
URL: Thapar.edu

**Enquiry No. TIET/CS/AA/21-22/21321**  
**Date : July 26, 2021**

**Sub:** Request for Quotation(s) for the Supply of Modular Kits  
Dear Sir

We shall be grateful if you kindly let us have your lowest **quotations** for the following materials. THE QUOTATIONS SHOULD REACH THE UNDERSIGNED **LATEST BY August 06, 2021** through **courier or e-mail** accompanied by appropriate illustrative literature/catalogues/pamphlets/technical details, samples and specifications as the case may be. **On the quotation envelope/ subject the Enquiry Number & Date should be mentioned on the top of the Envelope/mail subject.**

Sr. No.	Item Name	Qty.
1.	<u>Modular Kits</u>	04
2.	<u>DC Power Supply</u>	02
For specifications and qty See attached sheet		

**The offer sent by you must furnish the following details:**

1. Name, Make & specifications of each item.
2. **Price Breakup itemwise with MRP. (Treat it mandatory)**
3. Educational discount.
4. **Validity of quotation should be at least 60 Days.**
5. **GST %**
6. **Delivery FOR Central Stores TIET, Patiala**
7. Insurance, Freight & other charges if any.
8. Minimum Delivery Period.
9. **Payment terms. Net 30 days against delivery & satisfactory installation at Thapar Institute, Patiala**
10. Guarantee / Warranty Information.
11. **Also please share your Companies Turnover and Market Share along with the offer.**

Regards,

**Head Commercial**

S.no.	Equipment Detail	Specifications
1	AM Modulator	Sine Wave output of 1 KHz and Max. 10V p-p. Oscillator controlled carrier frequency LED indication for signal flow and selection Balance modulator and Band pass filter
2	AM Demodulator	Demodulation using Diode detector Tuned RF Amplifier, Mixer, IF Amplifiers for AM reception
3	FM Modulator	Reactance Modulator Varactor Modulator Mixer/Amplifier, Amplitude limiter & Filter circuits
4	FM Demodulator	Foster - Seeley Detector Ratio Detector
5	DC Power supply	DC supply range - 0.1 to 3- volts Channel → 3 port / 6 port / 9 port Probes → 10 in nos. (crocodile clip cabel)

*[Handwritten Signature]*